



SMART Board® Pro displays for business

Models and specifications may vary by region. Please contact your local representative for details.

Software	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
SMART Meeting Pro® Room license	Optional	Included	Included
SMART Meeting Pro Personal license (x10)	Optional	Included	Included
SMART TeamWorks™ Room license	Optional	Optional	Optional
SMART Product Drivers and SMART Ink®	Included	Included	Included
SMART Remote Management	Optional	Subscription for the length of the warranty	Subscription for the length of the warranty

Embedded features	Digital whiteboard Web browser Screen sharing Input select File manager Overlay Split screen Picture-in-picture (PIP) with touch pass-through Interactive widgets App library	Digital whiteboard Chrome™ browser Screen sharing Google Play™ store Personalized home screen and settings Input select Split screen PIP with touch pass-through Templates File and app libraries Google Drive™ and OneDrive™ access	Digital whiteboard Chrome browser Screen sharing Google Play store Personalized home screen and settings Input select Split screen PIP with touch pass-through Templates File and app libraries Environmental sensors dashboard Tool Explorer Image Editor Google Drive and OneDrive access
Display	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
Screen sizes (diagonal)	65" 75" 86"	55" 65" 75" 86"	65" 75" 86"
Resolution	4K UHD (3840 × 2160)	4K UHD (3840 × 2160)	4K UHD (3840 × 2160)
Refresh rate	60 Hz	60 Hz	60 Hz
Lifespan	≥ 50,000 hours	≥ 50,000 hours	≥ 50,000 hours
LCD quality	Grade A	Grade A	Grade A
Brightness¹	400 cd/m ²	55": 300 cd/m ² 65", 75", 86": 400 cd/m ²	490 cd/m ²
Display response time	≤ 8 ms	≤ 8 ms	≤ 8 ms

¹Brightness of individual displays can vary.

Glass	Full heat-tempered Anti-glare Bonded	55": Full heat-tempered Anti-glare 65", 75", 86": Full heat-tempered Anti-glare Bonded	Optically bonded Anti-glare Anti-fingerprint Heat-tempered
Sensors	Ambient light Infrared	Proximity ² Ambient light Infrared	Proximity Ambient light Infrared Room temperature Humidity Volatile organic compound (VOC) Particulate Matter (PM _{2.5}) ³
Speakers	2 integrated 20 W speakers	55": 2 integrated 15 W speakers 65", 75", 86": 2 integrated 20 W speakers	Integrated soundbar featuring two 20 W speakers and a 15 W subwoofer
Microphone	N/A	Integrated linear six-microphone array with support for onboard acoustic echo cancellation	Integrated linear eight-microphone array with visual mute status indicator and support for onboard acoustic echo cancellation
QR code sign in to a SMART Account	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NFC sign in to a SMART Account	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
SMART Ultra HD Camera (SWC-120UHD)	N/A	Optional	Included
Convenience buttons	Power Home Volume Freeze frame	Power Home Volume Input select Screen shade Freeze frame	Power Home Volume Microphone mute Freeze frame
Touch and interaction	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
Touch technology	Advanced infrared	HyPr Touch™ with Advanced IR	HyPr Touch with Advanced IR
Frame rate	≥ 125 Hz	≥ 200 Hz	≥ 300 Hz

²Only available on some models

³The display's environmental sensors are not life safety rated sensors: they provide general information only.

Touch response time	≤ 8 ms	≤ 5 ms	≤ 4 ms
Accuracy	1 mm	1 mm	1 mm
Minimum object size	2 mm	2 mm	2 mm
Continuous touch points (fully differentiated)	Up to 40 touch points (OS dependent)	Up to 50 touch points (OS dependent)	Up to 50 touch points (OS dependent)
Interaction types	Pens Touch Gesture Palm erase	Pens Touch Gesture Palm erase	Pens Touch Gesture Erase Fine erase Tool Explorer tools
Eraser, pen, and touch differentiation (simultaneous tool differentiation)	<input checked="" type="checkbox"/> ⁴	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Continuous pen, touch, and erase (continuously write, move, and gesture and erase simultaneously)	<input checked="" type="checkbox"/> ⁴	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Eraser types	Palm erase	Palm erase	Palm erase Fine erase Eraser blocks
Azimuth erasing	N/A	N/A	Eraser blocks
Palm rejection	Non-writing hand in Android™ whiteboard	N/A	Writing and non-writing hand
Object recognition	<input checked="" type="checkbox"/> ⁵	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Pressure-sensitive ink	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Automatic pen color recognition	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Support for multi-function pens	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

⁴A connected computer with SMART Product Drivers installed is required. Only supported in SMART Notebook and SMART Ink.

⁵When connected to a computer with SMART Product Drivers installed

Unique Pen ID support	2: Windows® and macOS, when using a finger to write or draw	2: Windows and macOS, when using a finger to write or draw	Unlimited
Tools included	Pens (x2)	Pens (x2)	Pens with unique IDs and fine erasers (x2) Erasers with angle of orientation (x2)
Tool holders	Magnetic Frame-mounted	Magnetic Frame-mounted	Intelligent Magnetic Frame-mounted
Embedded Android OS	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
Operating system	Android version 13.06	Android version 13.0 (Automatic update to Android version 15.0 scheduled for the second half of 2025.)	Android version 13.0 (Automatic update to Android version 15.0 scheduled for the second half of 2025.)
CPU	Quad-core	Octa-core	Octa-core
Memory	8 GB DDR4	8 GB DDR4	8 GB DDR4
OS architecture	64-bit	64-bit	64-bit
Storage	64 GB	64 GB (up to 576 GB)	64 GB (up to 576 GB)
User interface	4K UHD (3840 × 2160)	4K UHD (3840 × 2160)	4K UHD (3840 × 2160)
Updates	Over-the-air (OTA)	Automatic OTA	Automatic over-the-air (OTA)
Network connectivity	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
Wired	RJ45 (x2) 1000BASE-T	RJ45 (x2) 1000BASE-T	RJ45 (x2) 1000BASE-T
Wi-Fi	IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, WPA3 PSK, and 802.1X EAP authentication protocols Wi-Fi hotspot	IEEE 802.11ax (Wi-Fi 6e) supporting WPA, WPA2, WPA3 PSK, and 802.1X EAP authentication protocols Wi-Fi hotspot	IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP authentication protocols Wi-Fi hotspot

⁶Previous displays that included Android 11 are upgradeable to Android 13.

Bluetooth®	5.0 dual mode	5.2 dual mode	5.2 dual mode
Inputs	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
OPS PC accessory slot	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
microSD slot	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
HDMI®	<input checked="" type="checkbox"/> (x3) HDMI 2.0 with HDCP 1.4 and HDCP 2.2 support	<input checked="" type="checkbox"/> (x4) HDMI 2.1 4K @ 60Hz with HDCP 1.4, HDCP 2.3, ARC, and eARC support (ARC and eARC support are available only with the HDMI 2 input.)	<input checked="" type="checkbox"/> (x3) HDMI 2.1 4K @ 60Hz with HDCP 1.4, HDCP 2.3, ARC, and eARC support (ARC and eARC support are available only with the HDMI 2 input.)
Display Port 1.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VGA video	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stereo 3.5 mm (variable)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
RS-232 (DB-9 connector)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
RJ45 (LAN IN)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
USB Type-C	<input checked="" type="checkbox"/> (x2) Front: 15 W power delivery	<input checked="" type="checkbox"/> (x2) Front: 27 W power delivery; Side: 65 W power delivery	<input checked="" type="checkbox"/> (x3) Front and side: 65 W power delivery; Top: 15 W power delivery
USB 2.0 Type-A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
USB 3.2 Gen 1 Type-A	<input checked="" type="checkbox"/> (x4)	<input checked="" type="checkbox"/> (x4)	<input checked="" type="checkbox"/> (x3)
USB 2.0 Type-B	<input checked="" type="checkbox"/> (x2)	<input type="checkbox"/>	
USB 3.2 Gen 1 Type-B	<input type="checkbox"/>	<input checked="" type="checkbox"/> (x4)	<input checked="" type="checkbox"/> (x4)

Outputs	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
HDMI	<input checked="" type="checkbox"/> HDMI 2.0 with HDCP 1.4 and 2.2 support	<input checked="" type="checkbox"/> HDMI 2.1 4K @ 60Hz with HDCP 2.3 support	<input checked="" type="checkbox"/> HDMI 2.1 4K @ 60Hz with HDCP 2.3 support
USB Type-C	<input type="checkbox"/>	<input checked="" type="checkbox"/> 4.5 W power delivery	<input type="checkbox"/>
Stereo 3.5 mm (variable)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
S/PDIF optical (fixed)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
RJ45 (LAN OUT)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
OPS accessory slot	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
OPS support	SMART PCM or AMG1	SMART PCM	SMART PCM
OPS power delivery	90 W	85 W	100 W
Installation	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
VESA mounting points	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Wall mount bracket	Optional	Optional	Optional
Included cables and accessories	Pens (x2) Remote control Country-specific power cable USB Type-A to Type-B cable	Pens (x2) Remote control Country-specific power cable USB Type-A to Type-B cable USB Type-C cable	Pens (x2) Erasers (x2) Remote control Country-specific power cable USB Type-A to Type-B cable USB Type-C cable

Certification and compliance⁷	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
US / Canada	cULus FCC ISED TSCA CONEG Packaging Proposition 65	UL FCC ISED TSCA CONEG Packaging Proposition 65	UL FCC ISED TSCA CONEG Packaging Proposition 65
EU / EEA / EFTA / UK	CE UKCA LVD CB EMCD RED REACH RoHS Battery WEEE Packaging POP Ecodesign	CE UKCA LVD CB EMCD RED REACH RoHS Battery WEEE Packaging POP Ecodesign	CE UKCA LVD CB EMCD RED REACH RoHS Battery WEEE Packaging POP Ecodesign
Australia / New Zealand	RCM	RCM	RCM
Performance standards	ENERGY STAR® HDMI HDCP	ENERGY STAR HDMI HDCP	ENERGY STAR HDMI HDCP
Warranty	GX (V3) series	MX (V5) Pro series	QX (V2) Pro series
SMART Warranty	Included. See smarttech.com/warranty for details.	Included. See smarttech.com/warranty for details.	Included. See smarttech.com/warranty for details.

smarttech.com
smarttech.com/contact

© 2025 SMART Technologies ULC. All rights reserved. SMART Board, SMART Meeting Pro, SMART TeamWorks, SMART Ink, HyPr Touch, Tool Explorer, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. The Adopted Trademarks HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries. The Bluetooth word mark is owned by the Bluetooth SIG, Inc. and any use of such marks by SMART Technologies ULC is under license. Google Drive, Android, and Chromecast are trademarks of Google Inc. Windows and OneDrive are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. macOS is a trademark of Apple Inc., registered in the U.S. and other countries. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: www.smarttech.com/patents. Contents are subject to change without notice. January 9, 2025.

⁷Product availability may vary by region.

This product has received additional certifications not listed here.